

SY-760

High Performance
Cost Effective
Time & Attendance



- On-line/off-line modes of operation
- Complex attendance reporting
- Job reporting
- Shop floor control reporting
- Real-time database queries (SY-Server)
- TCP/IP communications built-in (optional)



SY-760



High Performance Cost Effective Time & Attendance

Programming

With the SY-760, you have a choice of systems:

Working off-line

Basically an off-line system, data collection and parametric programming can be done with the internal data base. However, Syncomm can be used on-line when working with the SY-Server.

With Syncomm, program your SY-760 terminal to:

- Operate differently according to the day of the week
- Provide single/multi-step or conditional reporting
- Validate data
- Select the input source (magnetic reader, keyboard, etc...)
- Display the information from the internal database

Working on-line

Programmed with SAL (Synel Application Language) or Syncomm, online, the SY-760 performs automatic data collection and data transfer to the central database. When operating on-line, the SY-760 initiates queries without the necessity of polling and downloads the data into the SY-Server.

General Features

- Scheduling required functions - for morning and evening periods, set the terminal to "swipe & go"; during the day, leave it set to record jobs.
- Technician mode is available for easy set-up of the terminal.
- Enable the activation of a bell according to the day of the week, regardless of the program that runs on the terminal.
- Scheduling modem operation times.
- Displays time in several formats (US< European, military or 12-hour)

IT Solutions In Time
PO Box 654
Glenelg
SA 5045
Tel: (08) 8242 7133
Fax: (08) 8242 7144
Mob: 0414 611 700
National Support Desk: 1300 306 542
Email: sales@itsit.com.au
Website: www.itsit.com.au

Technical Characteristics

Includes:

- One relay for bell, door, etc...
- One sensor (door monitoring etc.);
- Memory:
 - 512 kB, battery-backed
 - Dynamic distribution of memory mapping
- Display:
 - Backlit LCD, 2 rows of 16 characters
 - Alarm LED for irregularities notification
- Keyboard:
 - 6 functional keys
 - 10 numeric keys
 - 2 browsing keys
 - 4 control keys
- Readers: (choose between options)
 - Bar code (3-of-9, interleaved 2-of-5, code 128)
 - Magnetic (track 1, track 2)
 - Proximity (contactless at 125 kHz)
 - Weigand (26, 34, 36, 37, 44, 48 bit)
 - Mifare reader

Interfacing

- RS-485 for up to 16 terminals
- RS-232 for Host connection

Power Requirements

- Operating power - 110/230 Vac
- Back-up battery - rechargeable, included

Options

Internal modem (14,400 bps)
10 Mb Ethernet card for TCP/IP

Physical Characteristics

- Dimensions: Height: 17 cm
Width: 25 cm
Depth: 9.5 cm
Weight: 1.120 kg
- Operating temperature: 0 - 40°C
- Humidity: up to 95% RH

Table of comparison between SY-780 and SY-760

Feature	SY-780	SY-760
Functional keys	8	6
Numeric keys	10	10
Control keys	4	4
Magnetic reader	Yes	Yes
Barcode reader	Yes	Yes
Weigand reader	Yes	Yes
Fingerprint	Yes	No
Printer support	Yes	No
Relays	2	1
Input	2	1



Pictures in this brochure are for illustration purposes only.
The technical data sheet packed with the product is the only obligatory source of technical information